

Office of the Patient Advocate (OPA) California Health Care Quality Medical Group - Commercial Report Card, 2021-22 Edition ¹

Scoring Documentation for Public Reporting on Clinical Care (Reporting Year 2021)

Background

Representing the interests of health plan and medical group members, the California Office of the Patient Advocate (OPA) publicly reports on health care quality. OPA published its first HMO Health Care Quality Report Card in 2001 and has since annually updated, enhanced and expanded the Report Cards on HMOs, PPOs and Medical Groups. The current version (2021-22 Edition) of the online Health Care Quality Report Cards is available at www.opa.ca.gov.

The Integrated Healthcare Association ([IHA](#)) reports performance results for 189 physician organizations that participate in its Align. Measure. Perform. ([AMP](#)) Commercial HMO program. IHA is a multi-stakeholder leadership group that promotes quality improvement, accountability and affordability of health care. IHA collects quality data on the physician organizations that contract with commercial HMOs for AMP and provides the data to OPA for the Health Care Quality Report Card. The IHA physician organizations are referred to as medical groups in the Report Card and in the remainder of this document.

Sources of Data for California Health Care Quality Report Cards

The 2021-22 Edition of the Report Cards is published in Fall 2021, using data reported in Reporting Year (RY) 2021 for performance in Measurement Year (MY) 2020. Data sources are:

1. The National Committee for Quality Assurance's (NCQA) publicly reported HMO and PPO Healthcare Effectiveness Data and Information Set (HEDIS® ²) and Consumer Assessment of Healthcare Providers and Systems (CAHPS® ³) commercial measure data. (HEDIS and CAHPS Methodology Descriptions in separate documents)
2. **The Integrated Healthcare Association (IHA) AMP Commercial HMO program's medical group clinical performance data.**
3. The Purchaser Business Group on Health (PBGH) Patient Assessment Survey's (PAS) patient experience data for medical groups. (Methodology Description in a separate document)

¹ Also see the Scoring Methodology for the Medical Group Report Card patient experience ratings: <http://reportcard.opa.ca.gov/rc2019/medicalgroupabout.aspx>

² HEDIS® is a registered trademark of the National Committee for Quality Assurance (NCQA). HEDIS is a source for data contained in the California Health Care Quality Report Cards obtained from Quality Compass®2021 and is used with the permission of the National Committee for Quality Assurance (NCQA). Quality Compass 2021 includes certain CAHPS data. Any data display, analysis, interpretation, or conclusion based on these data is solely that of the authors, and NCQA specifically disclaims responsibility for any such display, analysis, interpretation, or conclusion. Quality Compass is a registered trademark of NCQA

³ CAHPS® is a registered trademark of the Agency for Healthcare Research and Quality (AHRQ)

Medical Group Clinical Methodology Process

Methodology Decision Making Process

OPA conducts a multi-stakeholder process to determine the scoring methodology. Beginning with the 2013 Edition of the Report Cards, OPA enhanced its partnership with IHA's AMP programs. IHA's Technical Measurement Committee (TMC) serves as the primary advisory body to OPA regarding methodologies for the Health Plan Report Card for both HEDIS clinical and CAHPS patient experience data and the Medical Group Report Card clinical data. Comprised of representatives from health plans, medical groups, and health care purchaser organizations, TMC members are well-versed in issues of health care quality and patient experience measurement, data collection and public reporting. OPA's Health Care Quality Report Cards are a standing item at the TMC meetings.

TMC Roster (2021)

Chair: Christine Castano, MD, Optum
Alyson Spencer, Blue Shield of California Promise Health Plan
Cheryl Damberg, PhD, RAND
Chris Jioras, Humboldt IPA
Dave Schweppe, Kaiser Foundation Health Plan
Edward Yu, MD, Sutter Palo Alto Medical Foundation
Eric Garthwaite, Health Net
Kenneth Phenow, MD, Cigna
Leticia Schumann, Anthem
Marnie Baker, MD, MPH, MemorialCare Medical Group
Rachel Brodie, Pacific Business Group on Health
Ralph Vogel, PhD, Kaiser Permanente
Ranyan Lu, PhD, UnitedHealthcare
Tory Robinson, Blue Shield of California
Alice Gunderson, PFCC Partners, Patient Advisor Network
Ting Pun, PFCC Partners, Patient Advisor Network

Please note that the methodology and display decisions made by OPA do not necessarily reflect the views of each organization on the advisory committee.

Additionally, OPA values the opinions and perspectives of other stakeholders with interest and expertise in the field of healthcare quality measurement, data collection and display and, as such, welcomes questions and comments sent to OPAReportCard@ncqa.org.

Stakeholder Preview and Corrections Period

Each year, prior to the public release of the OPA Report Cards, all participating health plans and medical groups are invited to preview the Health Care Quality Report Cards. Health plans and medical groups are given access to a test web site with updated results and given several days to review their data and submit corrections and questions regarding the data and methodology to OPA and its contractors. If an error in the data is identified within the given time period, it is corrected prior to the public release of the OPA Report Cards.

Medical Group - Commercial Report Card Clinical Scoring Methodology

There are three levels of measurement:

1. **Clinical Measures:** There are thirteen (13)⁴ clinical measures reported by IHA. Most, but not all, are HEDIS measures.
2. **Topic:** A majority of the thirteen (13) total measures are grouped into six condition topic areas.
3. **Category:** “Quality of Medical Care” is one aggregated all-clinical category performance score composed of eleven (11) HEDIS or non-HEDIS performance measures. *All-Cause Readmissions* and *Concurrent Use of Opioids and Benzodiazepines* are not included in the category composite.

See Appendix A for mapping of clinical measures to category and topics.

Performance Grading

Medical groups are graded on performance relative to other medical groups for “Quality of Medical Care”. All of the performance results are expressed such that a higher score means better performance. Eleven (11) clinical measures are aggregated to create the All-Clinical category performance score: “Quality of Medical Care.” Based on relative performance, groups are assigned star ratings for multi-level composites (category and topics).

For the 2021-22 Edition Medical Group Report Card, RY 2021 (MY 2020) values from medical groups statewide are used to set performance cutpoints for the clinical measures.

1. Composite Calculation for Category and Topic Scoring

Eleven (11) measures are aggregated to create the category performance score at both the category and topic levels. The scoring process involves the following calculations:

a) To calculate the category level composite, “Quality of Medical Care”:

Calculate the mean of all individual measure scores. Each of the 11 measures are equally weighted. The medical group must have reportable results for at least half of the measures to be eligible for the category performance score.

A medical group’s overall category performance score is rounded to the tenth decimal. The category performance rating is assigned per the cutpoints and factors in a buffer zone of 0.5 (see section 8).

For any medical group that has missing data for one or more measures, an adjusted half-scale rule is applied to adjust for the missing values – this rule is described below (see section 3).

b) To calculate the topic level composites: Measures are organized into each of six condition topics. A mean score is calculated for each topic by summing the proportional rates for each measure within the topic and dividing by the number of measures. The measures are equally weighted within each of the six condition topics. A buffer of 0.5 is added to the mean, which is assigned a star rating (see section 8) after rounding to the tenth decimal.

The medical group must have reportable results for at least half of the eligible measures for a given topic to score that topic. To calculate condition topic scores, for any medical group that has missing data for one or more measures within a given condition topic, an adjusted half-scale rule is applied to adjust for the missing values – this rule is described below (see section 3). The condition

⁴ *All-Cause Readmissions* and *Concurrent Use of Opioids and Benzodiazepines* will be added to the 2021-22 Ed. Report Card in Spring 2022.

topic measures are equally weighted when combining them and calculating a condition topic score.

2. Individual Measure Scoring

- a) The individual clinical measure scores are calculated as proportional rates using the numerators and denominators that are reported per IHA measurement requirements. Measures will be dropped from star rating calculations and benchmarks if at least 50% of groups cannot report a valid rate. Rates will be reported for all groups with valid rates, regardless of whether a particular measure has been dropped from a star rating calculation due to less than 50% of California groups having a valid rate.
- b) The measure results are converted to a score using the following formula:
$$(\text{Measure numerator}/\text{Measure denominator}) * 100$$

3. Handling Missing Data

Not all medical groups are able to report valid rates for all measures. Data may be missing because the denominator size for a particular measure may not be large enough for the medical group, or the measure is unable to be rated. In order to calculate category and topic star ratings for as many medical groups as possible, we impute missing data under specific conditions using an adjusted half-scale rule. This is accomplished by developing an actual measure-level imputed result for medical groups with missing data, and using those results for star calculations. Imputed results are not reported as individual rates. If a medical group is able to report valid rates for at least half of its measures in a composite, then missing values are replaced using an adjusted half-scale rule for all measures in the topic. Because eligibility for missing value imputation is assessed independently at the topic and category levels, it is possible to have a category score even if measure or topic scores are missing.

a) Legends to Explain Missing Scores

Three categories are used to explain instances in which a medical group measure is not reported:

- i. **Too Few Patients to Report.** Medical group score is not reported because the measure's denominator has fewer than 30 patients.
- ii. **Not Willing to Report.** Medical group declined to report its results.
- iii. **Not Rated.** Measure is undefined, has a biased rate, or is not reported for the medical group.

4. Risk Adjustment

The clinical care measures used in IHA's AMP Commercial HMO program, which include HEDIS measures, are not risk adjusted for patient characteristics or socioeconomic status. NCQA is the measure developer for HEDIS measures used in AMP Commercial HMO. NCQA's Committee on Performance Measurement and its Board of Directors determined that risk adjustment would not be appropriate for HEDIS measures because the processes and outcomes being measured should be achieved, regardless of the nature of the population. The one exception is the Preventing Hospital Readmission After Discharge measure, which does include risk-adjustment methodology developed by NCQA.

For AMP Commercial HMO, the results for this measure (numerator, denominator, rates, probability, variance) are generated by IHA's data partner, Onpoint Health Data, using health plan member level data that was submitted to Onpoint. Onpoint uses these results and applies the risk adjustment to calculate expected rate and observed/expected ratio, based on HEDIS specifications, in order to get risk-adjusted results.

The risk adjustment is based on HCC (Hierarchical Condition Category), which relies on presence of surgeries, discharge conditions, comorbidity, age and gender. More detailed information on the calculation of the risk adjusted rates are available in the [AMP Manual](#).

5. Changes from the 2020-21 Edition Report Card to the 2021-22 Edition Report Card and Notes

- a) Measures excluded from public reporting:
Due to the COVID-19 pandemic, IHA's Technical Measurement and Governance Committees approved a reduced number of measures for public reporting for MY 2020. The IHA committees sought to include those measures with the highest likelihood to drive the best outcomes for vulnerable populations during the pandemic, while still ensuring appropriate attention to provider organizations' overall performance. In addition, and for the same rationale, all measures on the OPA Report Card for Commercial HMO Members will be scored against benchmarks from the same year as measurement (MY 2020).

Previously reported measures that were excluded from reporting for MY 2020 include:

- Within the 'Preventive Screenings' topic:
 - Breast Cancer Screening
 - Cervical Cancer Screening
 - Chlamydia Screening
 - Within the 'Diabetes Care' topic:
 - Eye Exam for Diabetes Patients
 - Optimal Diabetes Care
 - Within the 'Appropriate Use of Tests, Treatments and Procedures' topic:
 - Appropriate Use of Cervical Cancer Screening
- b) Measure Additions:
IHA's Technical Measurement Committee excluded two measures from public reporting for MY 2019, due to trending breaks that occurred between MY 2018 and MY 2019. The two measures below have been approved for public reporting on the OPA Report Card for MY 2020:
- Treating Children with Throat Infections
 - Treating Bronchitis: Getting the Right Care
- c) "Preventing Hospital Readmission After Discharge" and "Concurrent Use of Opioids and Benzodiazepines" data are unavailable at the time of the fall launch but will be incorporated in the Spring 2022 Report Card update. This data will be displayed in the *Appropriate Use of Tests, Treatments and Procedures* topic, but is not included in the topic or category star rating calculations.

6. Calculating Percentiles

One of five grades is assigned to each of the six condition topics and to the "Quality of Medical Care" category using the cutpoints shown in Table 1. Cutpoints were calculated

per the MY 2020 (RY 2021) results for all medical groups. The cutpoints are calculated by summing the statewide scores for the respective percentile value for each measure in a given topic. In turn, the measure-specific percentile scores are summed and an average score is calculated for each of the four cutpoints for that topic.

7. From Percentiles to Stars

Medical group performance in MY 2020 (RY 2021) would typically be graded against score thresholds derived from MY 2019 (RY 2020) data. This methodology change of using the same year of benchmark as measurement has been adopted for MY 2020 only.

There are four thresholds corresponding to five-star rating assignments. If a topic or category composite rate meets or exceeds the “Excellent” thresholds, the medical group is assigned a rating of five stars. If a topic or category composite rate meets or exceeds the “Very Good” threshold (but is less than the “Excellent” threshold) then the medical group is given a rating of four stars. If a topic or category composite rate meets or exceeds the “Good” threshold (but is less than the “Very Good” threshold) then the medical group is given a rating of three stars. If a topic or category composite rate meets or exceeds the “Fair” threshold (but is less than the “Good” threshold) then the medical group is given a rating of two stars. Topic or category scores that are less than the two star “Fair” threshold result in a rating of one star, “Poor”.

The grade spans vary for each of the six condition topics listed in Table 1:

Top cutpoint:	90 th percentile for California reporting medical groups
Middle-high cutpoint:	65 th percentile for California reporting medical groups
Middle-low cutpoint:	35 th percentile for California reporting medical groups
Low cutpoint:	10 th percentile for California reporting medical groups

Table 1: Clinical Performance Cutpoints for the 2021-22 Edition of the Medical Group – Commercial Report Card

Condition Topics	Number of Measures Included*	Excellent Cutpoint	Very Good Cutpoint	Good Cutpoint	Fair Cutpoint	Poor Cutpoint
Asthma Care	1	91	86	79	72	<72
Appropriateness of Tests, Treatments and Procedures	1	83	67	51	35	<35
Diabetes Care	3	71	63	50	39	<39
Heart Care	2	79	72	56	45	<45
Preventive Screenings	1	74	67	51	36	<36
Treating Children	3	72	59	41	20	<20
All Clinical Category – Quality of Medical Care	11	76	66	52	37	<37

*Topics with only one measure tend to have more variation in year over year performance.

Special scoring is used for the “Rady Children’s Health Network” – an all-pediatric medical group. This group reports four measures: Asthma Medication Ratio,

Immunizations for Children, Immunizations for Adolescents, and Treating Children with Throat Infections. The group's category performance indicator is therefore comprised of these four measures only. Correspondingly, the performance cutpoints for the group's all clinical category rating are based on these five measures and the MY 2020 (RY 2021) results. The Rady Children's Health Network cutpoints for the 2021-22 Edition are 77, 66, 51 and 33 for the 90th, 65th, 35th and 10th percentiles, respectively.

8. Buffer Zones

A buffer zone of a half-point (0.5) span is applied when determining the category and topic star ratings. Any medical group whose score is in the buffer zone 0.5 points below the grade cutpoint is assigned to the next highest category grade. For example, if an Excellent Cutpoint was set at 81, a group whose score is 80.5 would be graded "Excellent." A score of 80.4, which is outside of the buffer zone, would be assigned a grade of "Very Good."

9. Attribution of Patients to Medical Groups

In AMP Commercial HMO, patients are attributed to a medical group in each of the following ways:

- Enrollment at the health plan level, communicated to the medical group
- Encounter data from the medical group, including member identification or physician identification (so health plans can correctly attribute it), and
- Continuous enrollment in the medical group; enrollment in the medical group on the anchor date; and required benefits, as specified for each measure.

10. Reliability Testing/Minimum Number of Observations

IHA considers measurement error and reliability as follows. For the clinical quality measures, the organization uses administrative data based on the universe of a medical group's patients. There is no sampling. Because statistical errors can result from small numbers, IHA requires a total eligible population of 30 or more for a particular measure. In addition, any measure with a bias of five percent or more are excluded, as determined by an NCQA-certified auditor.

Appendix A. Mapping of Medical Group Clinical Measures to Topics

Topic	IHA Measure Name	OPA Measure Name	Definition	Number of Measures in Topic
Asthma Care	Asthma Medication Ratio	Asthma Medicine	The percentage of patients 5–64 years of age who were identified as having persistent asthma and had a ratio of controller medications to total asthma medication of 0.50 or greater during the measurement year.	1
Diabetes Care	HbA1c Control (<8.0%)	Controlling Blood Sugar for People With Diabetes	The percentage of patients 18–75 years of age with diabetes (type 1 and type 2) whose HbA1c was <8.0%	3
Diabetes Care	Blood Pressure Control for Diabetes Patients <140/90	Controlling Blood Pressure For People With Diabetes	The percentage of patients 18–75 years of age with diabetes (type 1 and type 2) whose blood pressure was <140/90	3
Diabetes Care	Statin Therapy for Patients with Diabetes	Prescribing Statins to People with Diabetes	The percentage of patients 40-75 years of age with diabetes who were prescribed at least one statin medication in the last year	3
Heart Care	Controlling High Blood Pressure	Controlling High Blood Pressure	The percentage of adults ages 18-85 who are diagnosed with hypertension and whose blood pressure was controlled (<140/90)	2
Heart Care	Statin Therapy for Patients with Cardiovascular Disease	Prescribing Statins to People with Heart Disease	The percentage of patients ages 21-75 (male) and 40-75 (female) with heart disease who were given at least one statin medication during the last year	2
Preventive Screenings	Colorectal Cancer Screening	Colorectal Cancer Screening	The percentage of adults 50–75 years of age who had appropriate screening for colorectal cancer.	1

Treating Children	Childhood Immunization Status	Immunizations for Children	The percentage of enrolled children two years of age who were identified as having completed the following antigen series by their second birthday: four diphtheria, tetanus, acellular pertussis (DtaP) vaccinations; three polio (IPV) vaccinations; one measles, mumps, rubella (MMR) vaccination; three flu (HiB) vaccinations; three hepatitis B (HepB) vaccinations; one chicken pox (VZV) vaccination; and four pneumococcal conjugate (PCV) vaccinations, one hepatitis A (HepA) vaccination, rotavirus vaccination and at least two influenza vaccinations.	3
Treating Children	Immunizations for Adolescents	Immunizations for Early Teens	The percentage of adolescents 13 years of age who had one dose of tetanus, diphtheria toxoids and acellular pertussis vaccine (Tdap) and completed the HPV vaccine series by their 13th birthday.	3
Treating Children	Appropriate Testing for Children with Pharyngitis	Treating Children with Throat Infections	The percentage of children 2–18 years of age who were diagnosed with pharyngitis, dispensed an antibiotic and received a group A streptococcus (strep) test for the episode.	3
Appropriate Use of Tests, Treatments and Procedures	Avoidance of Antibiotic Treatment for Adults With Acute Bronchitis	Treating Bronchitis: Getting the Right Care	The percentage of adults 18–64 years of age with a diagnosis of acute bronchitis who were not dispensed an antibiotic prescription.	1
Display Only Measures*	All-Cause Readmissions	Preventing Hospital Readmission After Discharge	For members 18 years of age and older, the number of acute inpatient hospital stays during the measurement year that were followed by an acute readmission for any diagnosis within 30 days and the predicted probability of an acute readmission.	N/A
Display Only Measures*	Concurrent Use of Opioids and Benzodiazepines	Concurrent Use of Opioids and Benzodiazepines	The percentage of patients 18 years of age and older with prescriptions for both opioids and benzodiazepines.	N/A

*Display Only Measures are not included on the overall category performance score “Quality of Medical Care”.